
**WIRELESS SMART ROADS: IOT INTEGRATION FOR
SUSTAINABLE TRANSPORTATION INFRASTRUCTURE**

**Markad Vivek Dadasaheb*¹, Dalvi Atharv Dipak², Borude Aditya Harishchandra³,
Gangarde Rahul Dadasaheb⁴, Assistant Professor Bhole K. S.⁵**

Students and Professor, Department of E&TC Engineering Shri. Chhatrapati Shivaji Maharaj
College of Engineering, Nepti, Maharashtra Savitribai Phule Pune University, Pune.^{1,2,3,4,5}

Article Received: 4 May 2026, Article Revised: 24May 2026, Published on: 14 June 2026

***Corresponding Author: Markad Vivek Dadasaheb**

Students and Professor, Department of E&TC Engineering Shri. Chhatrapati Shivaji Maharaj College of Engineering,
Nepti, Maharashtra Savitribai Phule Pune University, Pune.

Doi: <https://doi-doi.org/101555/ijarp.3655>

ABSTRACT

The rapid advancement of smart transportation systems has led to the emergence of innovative infrastructure solutions such as wireless roads integrated with the Internet of Things (IoT). This research presents the design and conceptual framework of a wireless road system capable of enabling real-time communication, intelligent traffic management, and dynamic wireless power transfer for electric vehicles. The proposed system utilizes embedded sensors, IoT-enabled microcontrollers, and cloud-based platforms to collect and analyze data related to traffic density, road conditions, and environmental factors. Additionally, inductive wireless charging technology is incorporated within road infrastructure to support continuous charging of electric vehicles, reducing dependency on conventional charging stations. The integration of IoT enhances decision-making through data-driven insights, improving road safety, reducing congestion, and optimizing energy consumption. This study also discusses the system architecture, implementation methodology, advantages, challenges, and potential future developments. The proposed wireless road concept contributes significantly toward the development of sustainable, efficient, and intelligent transportation systems in smart cities.

KEYWORDS: Wireless Roads, Internet of Things (IoT), Smart Transportation, Inductive Wireless Charging, Intelligent Infrastructure, Smart Cities, Traffic Management.

INTRODUCTION

The evolution of modern transportation is currently undergoing a paradigm shift, transitioning from static asphalt pathways to dynamic, data-driven ecosystems. As global urbanization intensifies, the limitations of conventional road networks have become increasingly apparent, necessitating a transition toward more sophisticated technological frameworks.

The Concept of Smart Roads

Smart roads represent an advanced transportation infrastructure that integrates physical roadways with digital technologies, including sensors, communication systems, and energy-harvesting mechanisms. Unlike traditional roads, which serve merely as a medium for vehicle movement, smart roads act as active participants in the transportation ecosystem. They are designed to collect, process, and disseminate real-time information regarding traffic conditions, structural integrity, and environmental factors. By embedding technologies such as embedded sensors, smart pavements, and automated lighting, these systems transform highways into intelligent platforms capable of enhancing the driving experience and optimizing resource management.

Need for Intelligent Transportation Systems

The global demand for Intelligent Transportation Systems is driven by the urgent need to improve road safety, traffic efficiency, and environmental sustainability. Traditional management methods are often reactive, relying on manual intervention or delayed data. In contrast, ITS leverages real-time data to:

- **Enhance Safety:** By providing early warnings about road hazards, weather conditions, or accidents, ITS can significantly reduce the frequency and severity of collisions.
- **Optimize Traffic Flow:** Intelligent algorithms can manage signal timings and route vehicles dynamically to alleviate congestion, thereby reducing travel time and fuel consumption.
- **Reduce Environmental Impact:** By minimizing idling and stop-and-go traffic, ITS contributes to lower carbon emissions, aligning with global sustainability goals.

Challenges in Traditional Road Infrastructure

Existing road infrastructures face several critical challenges that hinder modern mobility:

1. **Structural Deterioration:** Many road networks suffer from aging and lack of real-time health monitoring, leading to costly and disruptive emergency repairs.
2. **Traffic Congestion:** Increasing vehicle density has outpaced the physical expansion of roads, resulting in severe economic losses due to delays.
3. **Information Asymmetry:** Traditional roads lack a feedback loop between the infrastructure and the users, leaving drivers unaware of upcoming obstacles or optimal routing.
4. **High Maintenance Costs:** Without predictive maintenance data, road authorities often rely on scheduled or reactive maintenance, which is less efficient and more expensive than data-driven interventions.

Importance of IoT Integration

The integration of the Internet of Things is the cornerstone of wireless smart roads. IoT provides the connectivity required to link vehicles, infrastructure, and management centers into a cohesive network. The importance of IoT in this context includes:

- **Real-Time Data Acquisition:** IoT sensors enable the continuous monitoring of traffic volume, vehicle speed, and pavement conditions.
- **Vehicle-to-Infrastructure (V2I) Communication:** Through IoT, roads can communicate directly with vehicles, facilitating autonomous driving and providing critical safety alerts.
- **Sustainable Resource Management:** Smart IoT-enabled lighting and energy-harvesting systems (such as solar-integrated pavements) reduce the energy footprint of road operations.
- **Predictive Analytics:** Data gathered through IoT devices allows for predictive maintenance, where potential structural failures are identified and addressed before they become hazardous.

By bridging the gap between physical infrastructure and digital intelligence, IoT integration ensures that wireless smart roads are not only more efficient but also resilient enough to meet the transportation demands of the future.

2. Literature Review

The integration of advanced technologies into transportation infrastructure is a rapidly expanding field of study. Existing research highlights the convergence of power engineering, information technology, and urban planning to create self-sustaining and efficient road networks.

Wireless Power Transfer in Roads

Wireless power transfer integrated into roadway infrastructure aims to address the range and charging limitations of electric vehicles by enabling "charging while driving" [1].

- **Efficiency and Prototypes:** Research has demonstrated high-efficiency levels in controlled environments. For instance, a 10-kW prototype reached an efficiency of 94% [2]. In dynamic test tracks, systems have delivered up to 20 kW of power to moving vehicles over 100-meter segments [2].
- **Operational Constraints:** A key challenge identified is the air gap and alignment between primary (road-side) and secondary (vehicle-side) coils. Studies in California and Utah reported efficiency rates between 60% and 90% depending on air gaps ranging from 0.26 to 1.15 feet [3].
- **Environmental Benefits:** Case studies suggest that wide-scale WPT adoption could lead to a 20% reduction in air pollution and a 10% reduction in CO_2 emissions while providing substantial annual cost savings [3].

IoT-Based Traffic Management Systems

Internet of Things technologies are transforming traffic management from static, scheduled operations into adaptive, real-time systems [4].

- **Real-Time Optimization:** Systems utilizing IoT sensors and Machine Learning can predict highway occupancy and track vehicle movement with high precision [4]. These systems allow for smart traffic signal optimization, where signal timings are adjusted dynamically based on queue lengths and vehicle speeds [5].
- **Routing and Safety:** IoT frameworks enable Intelligent Traffic Management Systems to direct motorists to optimal routes, reducing travel time and improving safety through distributed multi-agent learning [6].
- **Architectural Challenges:** While effective, researchers emphasize the difficulties in scaling these architectures due to concerns regarding data privacy, communication latency, and the interoperability of heterogeneous sensors [7], [8].

Smart City Infrastructure

Smart roads are increasingly viewed as the "digital twin" of physical urban infrastructure, serving as a critical layer in the broader smart city ecosystem [9], [10].

- **Interconnectedness:** A successful smart city requires an integrated IoT infrastructure where subsystems are intelligent enough to communicate and work in interconnection with each other [11].
- **Sustainability Goals:** Smart infrastructure is a primary driver for achieving United Nations Sustainable Development Goal 11. This includes using smart grids for efficient energy consumption and blockchain for data security in urban management [9], [12].
- **Lifecycle Management:** Advanced sensing networks allow for data-driven civil engineering, shifting the focus toward the entire lifecycle performance of infrastructure to reduce environmental footprints and long-term costs [13], [14].

Identified Research Gaps

Despite significant progress, several critical gaps remain in the current literature:

1. **Technical Scalability:** There is a need for research on how to maximize energy transfer for vehicles traveling at high speeds within limited charging lanes [15].
2. **Infrastructure Resilience:** Current studies often overlook the performance of smart sensors and WPT systems during extreme weather conditions, such as snow and ice, which can disrupt communication reliability [13], [16].
3. **Standardization and Interoperability:** A significant gap exists in the harmonization of data collection procedures across the plethora of different sensors and actuators used by various manufacturers [17].
4. **Security Frameworks:** As Vehicle-to-Infrastructure (V2I) communication increases, there is an urgent need for robust certificate management frameworks to prevent transmission interferences and malicious intrusions into traffic control systems [17].
5. **Large-Scale Economic Viability:** Research is still required to assess the cost-benefit ratio and preferable configurations for large-scale applications of magnetizable concrete and other advanced materials in long-distance highway networks [18].

METHODOLOGY

The implementation of wireless smart roads requires a multi-layered architectural approach that integrates physical infrastructure with digital intelligence. The process involves

embedding specialized hardware, establishing a distributed data processing framework, and deploying high-efficiency power transfer mechanisms.

1. Road Design with Embedded Hardware

The physical implementation begins with the integration of sensors and communication modules directly into the pavement structure. This is often achieved through an **integrated paving process**, where sensors are merged with the material structure (such as cement concrete) during slipform paving to ensure durability and long-term monitoring [19], [20].

- **Sensing Layer:** Various sensors are embedded to monitor structural and environmental conditions. These include load sensors for vehicle counting, moisture and temperature sensors (e.g., Road Sensor DRS511) for ice/snow detection, and stress/strain sensors for pavement health [21], [22].
- **Node-Level Hardware:** A typical smart highway node consists of a microcontroller (such as Arduino ATmega 328 or ESP series boards) connected to the sensor array [22]. These boards capture raw data and facilitate local communication using protocols like **XBee** or **GSM** for longer ranges [21], [22].
- **Infrastructure Layout:** Primary induction coils are installed below the asphalt at regular intervals to facilitate wireless charging while driving [23], [24].

2. Data Collection and Processing

To handle the massive volume of real-time data and reduce latency, smart roads utilize a hierarchical processing architecture [25], [26].

- **Edge Computing Layer:** Instead of sending all raw data to the cloud, initial analysis occurs at the "edge" (on the device or nearby roadside units) [25], [27]. This is critical for time-sensitive applications like pothole detection via wheel speed anomalies or accident alerts [27], [28].
- **Processing Flow:** Data moves from the **Generation Layer** (sensors) to the **Edge Layer** (local routing and filtering) and finally to the **Cloud Layer** for long-term storage and big data analytics [27], [29].

Mathematical Model: Processing and Communication Time

The total time required for data handling can be modeled by the following equations [26], [30]:

1. Local Processing Time (T_{local})

$$Local = \sum_{l=1}^L \sum_{z=1}^Z l \cdot \zeta_l$$

2. Communication Time (T_{com})

$$Com = \sum_{l=1}^L \sum_{k=1}^K \sum_{z=1}^Z \frac{z \sim k}{l_{Up_bandwidth} + l_{download}}$$

Where l represents the application level and ζ represents processing constraints.

3. Wireless Energy Transfer Mechanism

The wireless power transfer system utilizes dynamic **Inductive Power Transfer**. Primary coils arranged below the pavement are excited only when a vehicle's secondary coil is positioned directly above to minimize energy losses [23], [24].

- **Resonant Coupling:** To achieve high efficiency, the primary and secondary circuits are tuned to the same resonant frequency (typically around 85.5 kHz) [1], [31].
- **Energy Efficiency:** The overall system performance depends on the **road utilization ratio**, which quantifies the layout of coil sections and dynamic transients as the vehicle moves [23].

Mathematical Model: Power Transfer Efficiency (η)

The efficiency of the WPT system, considering mutual inductance and load resistance, is defined as [1]:

$$\eta = \frac{R_L}{R_2 + R_L} \times \frac{\omega_0^2 j^2 L_1 L_2}{R_1(R_2 + R_L) + \omega_0^2 j^2 L_1 L_2}$$

Alternatively, in a dynamic context, the per-unit length efficiency is calculated as [32]:

$$\eta = \frac{e_{batt}[kWh/km]}{e_{road_in}[kWh/km]}$$

- * Where: R_L , Load resistance * L_1, L_2 , Self – inductance of primary and secondary coils
- * ω , Resonant frequency
- * e_{batt}, e_{road_in} : Energy received by the battery vs. energy supplied by the grid per kilometre

By following these steps, smart roads create a digital twin of the traffic system, enabling safer autonomous vehicle navigation and sustainable energy management [10], [33].




Figure 1. System Architecture.

4. DISCUSSION

The integration of Internet of Things and Wireless Power Transfer into road infrastructure represents a transformative shift in civil engineering and urban mobility. The findings from the literature and proposed methodology suggest several key implications for future transportation systems.

4.1. Efficiency and Sustainability of Dynamic WPT

The implementation of dynamic WPT addresses the primary hurdle of electric vehicle adoption: range anxiety. Research prototypes have already demonstrated high efficiency, with some reaching up to 94% under optimal conditions [2]. However, practical implementation reveals a sensitivity to physical alignment, where efficiency can fluctuate between 60% and 90% depending on the air gap between the road and the vehicle [3].

Beyond charging, the environmental impact is significant. WPT integration is projected to reduce air pollution by approximately 20% and CO_2 emissions by 10% [3]. Furthermore, by providing energy during transit, these systems allow for a reduction in onboard battery size, which decreases vehicle weight and lowers the environmental cost of battery manufacturing and recycling [15].

4.2. Resilience and Predictive Maintenance

Traditional roads are often managed through reactive maintenance, which is both costly and disruptive. The use of embedded sensors in smart pavements shifts this paradigm toward **data-driven civil engineering**[14], [21].

- **Structural Health Monitoring:** Embedded strain and stress sensors provide a real-time "Digital Twin" of the road's physical state, allowing authorities to identify structural weaknesses before they manifest as potholes or cracks [10], [19].
- **Weather Adaptability:** IoT nodes equipped with moisture and temperature sensors enable proactive responses to hazardous conditions. For example, automated heating elements can be triggered by sensor data to prevent ice formation, significantly enhancing winter safety [13], [16].

4.3. Impact on Traffic Dynamics and Urban Safety

The transition to an IoT-based traffic management system facilitates a move away from static signal timings toward **adaptive optimization**[4], [5]. By tracking vehicle movement and queue lengths in real-time, these systems can reduce travel delays and prevent the cascading effects of congestion [6].

- **V2I Communication:** The ability of the road to communicate directly with vehicles is essential for the safe deployment of autonomous fleets. This connectivity allows the infrastructure to provide "beyond line-of-sight" information, alerting vehicles to accidents or obstacles several kilometers ahead [17], [29].

4.4. Challenges in Large-Scale Implementation

While the benefits are clear, several obstacles must be addressed to move from pilot projects to national highway networks:

1. **Economic Viability:** The initial capital expenditure for magnetizable concrete and embedded electronics is substantially higher than traditional asphalt [1], [18]. Long-term cost-benefit analyses are required to justify these costs through maintenance savings and energy efficiency.
2. **Data Security and Privacy:** As roads become data hubs, they become targets for cyber-attacks. Ensuring the integrity of V2I communication through robust certificate management is critical to preventing malicious interference with traffic signals or vehicle controls [12], [17].

- 3. Standardization:** There is currently a lack of global standards for WPT frequencies and data communication protocols, which could lead to interoperability issues between different vehicle manufacturers and infrastructure providers [17].

4.5. Integration within the Smart City Ecosystem

Smart roads do not exist in isolation; they are a fundamental layer of the broader smart city framework. By functioning as energy-harvesting and data-disseminating platforms, they support Sustainable Development Goal 11 [9]. The synergy between smart grids, autonomous vehicles, and intelligent pavements creates a cohesive ecosystem where urban metabolism is monitored and optimized for efficiency and pollution reduction [11], [12].

10. CONCLUSION

The development of wireless smart roads represents a critical leap toward a more resilient, efficient, and sustainable global transportation network. By merging physical infrastructure with the Internet of Things and Wireless Power Transfer, roads are transitioning from passive asphalt pathways into active, intelligent participants in the urban ecosystem.

SUMMARY OF FINDINGS

The research conducted illustrates that the integration of dynamic WPT systems can effectively mitigate the primary limitations of electric vehicle adoption, such as range anxiety and long charging times. High-efficiency prototypes have demonstrated the potential to reach up to 94% energy transfer efficiency, while practical road-side applications achieve between 60% and 90% depending on coil alignment [2], [3]. Furthermore, the environmental benefits are substantial, with projections indicating a 20% reduction in localized air pollution and a 10% decrease in \$CO_2\$ emissions through optimized traffic flow and reduced vehicle idling [3].

The role of IoT is equally vital, enabling a shift from reactive to predictive maintenance. Through embedded sensor networks and edge computing architectures, smart roads function as a "digital twin" of the physical infrastructure, providing real-time data on structural health, traffic density, and environmental hazards [10], [19], [26]. This data-driven approach not only enhances urban safety but also optimizes the lifecycle performance of civil engineering assets [14], [21].

Impact on Future Transportation

In the coming decades, smart road infrastructure will serve as the backbone of the smart city, facilitating the seamless deployment of autonomous vehicle fleets and intelligent traffic

management systems [4], [33]. By establishing a continuous communication link between the road and the vehicle, these systems provide "beyond line-of-sight" safety alerts that are essential for zero-fatality transit goals [6], [17].

However, the realization of this vision requires addressing significant challenges regarding economic scalability, global standardization of WPT frequencies, and the implementation of robust cybersecurity frameworks to protect V2I communications [1], [17]. As these hurdles are overcome, wireless smart roads will play a fundamental role in achieving Sustainable Development Goal 11, creating urban environments that are safer, cleaner, and more intelligently connected than ever before [9], [11].

REFERENCE

1. Y. Li, F. Li, S. Zhou, X. Ma, and Y. Hou, "Development of soft magnetic composites for magnetized pavement to improve the efficiency of electric vehicle's wireless power transfer," *Journal of Cleaner Production*, vol. 459, p. 142446, May 2024, doi: 10.1016/j.jclepro.2024.142446.
2. T. M. K. Selim *et al.*, *Innovation in Energy Systems - New Technologies for Changing Paradigms*. IntechOpen, 2019. doi: 10.5772/intechopen.81310.
3. T. Konstantinou *et al.*, "Feasibility Study and Design of In-Road Electric Vehicle Charging Technologies," Jan. 2021. doi: 10.5703/1288284317353.
4. U. K. Lilhore *et al.*, "Design and Implementation of an ML and IoT Based Adaptive Traffic-Management System for Smart Cities," *Sensors*, vol. 22, no. 8, p. 2908, Apr. 2022, doi: 10.3390/s22082908.
5. M. R. Rahman and M. M. Mamun, "Smart Traffic Signal Optimization Using Real-Time Data: A Review," *Preprints.org*, Feb. 2025, doi: 10.20944/preprints202502.0539.v1.
6. D. Abuga and N. Raghava, "Smart Traffic Management and Control system Based on IoT," *Research Square (Research Square)*, Mar. 2021, doi: 10.21203/rs.3.rs-314224/v1.
7. S. S. Bhise, "An IoT Application in a Smart Traffic Management System," *Journal for Research in Applied Sciences and Biotechnology*, vol. 4, no. 1, p. 74, Feb. 2025, doi: 10.55544/jrasb.4.1.8.
8. G. Vadivel, M. J. M. Hussain, S. V. Tresa, and Sangeetha, "SMART TRANSPORTATION SYSTEMS: IOT-CONNECTED WIRELESS SENSOR NETWORKS FOR TRAFFIC CONGESTION MANAGEMENT," *International Journal of Advances in Signal and Image Sciences*, vol. 9, no. 1, p. 40, Jun. 2023, doi: 10.29284/ijasis.9.1.2023.40-49.

9. Z. Bi, "Life Cycle Analysis and Optimization of Wireless Charging Technology to Enhance Sustainability of Electric and Autonomous Vehicle Fleets," *Deep Blue (University of Michigan)*, Jan. 2018, Accessed: Oct. 2025. [Online]. Available: <https://hdl.handle.net/2027.42/147602>
10. S. Mukhopadhyay, A. Kumar, J. Gupta, A. Bhatnagar, M. P. Kantipudi, and M. Singh, "A Review and Analysis of IoT Enabled Smart Transportation Using Machine Learning Techniques," *International Journal of Transport Development and Integration*, vol. 8, no. 1. WIT Press, p. 61, Mar. 31, 2024. doi: 10.18280/ijtdi.080106.
11. A. K. M. Hossein, A. Golroo, and M. Akhoundzadeh, "Smart embedded technologies and materials for enhanced pavement management," *Automation in Construction*, vol. 168, p. 105865, Nov. 2024, doi: 10.1016/j.autcon.2024.105865.
12. Z. Ye *et al.*, "IoT-enhanced smart road infrastructure systems for comprehensive real-time monitoring," *Internet of Things and Cyber-Physical Systems*, vol. 4, p. 235, Jan. 2024, doi: 10.1016/j.iotcps.2024.01.002.
13. S. Adeniran-Bakare, P. D. Fakoyede, E. C. Enabulele, and I. Abdulmajid, "Civil engineering smart cities: road maintenance with a data-driven approach of machine learning and IOT," *Discover Internet of Things*, vol. 5, no. 1, Sep. 2025, doi: 10.1007/s43926-025-00198-2.
14. A. Ullah *et al.*, "Smart cities: the role of Internet of Things and machine learning in realizing a data-centric smart environment," *Complex & Intelligent Systems*, vol. 10, no. 1, p. 1607, Jul. 2023, doi: 10.1007/s40747-023-01175-4.
15. G. Guidi and J. A. Suul, "Transient Control of Dynamic Inductive EV Charging and Impact on Energy Efficiency when Passing a Roadside Coil Section," p. 1, Jun. 2018, doi: 10.1109/wow.2018.8450893.
16. C. A. I. Team, "Europe and the Future for WPT : European Contributions to Wireless Power Transfer Technology," *IEEE Microwave Magazine*, vol. 18, no. 4, p. 56, May 2017, doi: 10.1109/mmm.2017.2680078.
17. A. Daud, M. Amo-Boateng, N. J. Owor, A. Aboah, and Y. Adu-Gyamfi, "Edge Computing-Enabled Road Condition Monitoring: System Development and Evaluation," *arXiv (Cornell University)*, Oct. 2023, doi: 10.48550/arxiv.2310.05321.
18. A. Lakhani, T. Grønli, P. Bellavista, S. Memon, O. Thinnukool, and M. Alharby, "IoT Workload Offloading Efficient Intelligent Transport System in Federated ACNN Integrated Cooperated Edge-Cloud Networks," *Research Square (Research Square)*, Jan. 2024, doi: 10.21203/rs.3.rs-3906418/v1.

19. F. Xhafa, B. Kilic, and P. Krause, "Evaluation of IoT stream processing at edge computing layer for semantic data enrichment," *Future Generation Computer Systems*, vol. 105, p. 730, Dec. 2019, doi: 10.1016/j.future.2019.12.031.
20. H. Q. Al-Shammari, A. Q. Lawey, T. E. H. El-Gorashi, and J. M. H. Elmirghani, "Energy Efficient Service Embedding In IoT over PON," p. 1, Jul. 2019, doi: 10.1109/icton.2019.8840429.
21. Z. S. A. A. Mahairzi and N. S. Reddy, "Smart Road Technology for Traffic Management and ITS Infrastructure Assessment: A Case Study of Muscat Express Highway," *International Journal of Advanced engineering Management and Science*, vol. 3, no. 5, p. 576, Jan. 2017, doi: 10.24001/ijaems.3.5.28.
22. A. Lakhan, T. Grønli, P. Bellavista, S. Memon, M. Alharby, and O. Thinnukool, "IoT workload offloading efficient intelligent transport system in federated ACNN integrated cooperated edge-cloud networks," *Journal of Cloud Computing Advances Systems and Applications*, vol. 13, no. 1, Apr. 2024, doi: 10.1186/s13677-024-00640-w.
23. N. Benalia *et al.*, "Enhancing electric vehicle charging performance through series-series topology resonance-coupled wireless power transfer," *PLoS ONE*, vol. 19, no. 3, Mar. 2024, doi: 10.1371/journal.pone.0300550.
24. G. Guidi, A. M. Lekkas, J. E. Strandén, and J. A. Suul, "Dynamic Wireless Charging of Autonomous Vehicles: Small-scale demonstration of inductive power transfer as an enabling technology for self-sufficient energy supply," *IEEE Electrification Magazine*, vol. 8, no. 1, p. 37, Mar. 2020, doi: 10.1109/mele.2019.2962888.
25. O. E. Marai, T. Taleb, and J. Song, "Roads Infrastructure Digital Twin: A Step Toward Smarter Cities Realization," *IEEE Network*, vol. 35, no. 2, p. 136, Nov. 2020, doi: 10.1109/mnet.011.2000398.
26. G. Mao, Y. Hui, X. Ren, C. Li, and Y. Shao, "The Internet of Things for Smart Roads: A Road Map From Present to Future Road Infrastructure," *IEEE Intelligent Transportation Systems Magazine*, vol. 14, no. 6, p. 66, Nov. 2021, doi: 10.1109/imits.2021.3115126.
27. M. D. Lepech, A. S. Kiremidjian, and K. H. Law, "The role of life-cycle civil engineering practices in smart and sustainable cities," in *CRC Press eBooks*, Informa, 2023, p. 1669. doi: 10.1201/9781003323020-205.
28. X. Shi, "More than smart pavements: connected infrastructure paves the way for enhanced winter safety and mobility on highways," *Journal of Infrastructure Preservation and Resilience*, vol. 1, no. 1, Nov. 2020, doi: 10.1186/s43065-020-00014-x.

29. X. Shi, "More Than Smart Pavements: Connected Infrastructure Paves the Way for Enhanced Winter Safety and Mobility on Highways," *Research Square (Research Square)*, Oct. 2020, doi: 10.21203/rs.3.rs-31618/v2.
30. H. T. Arat *et al.*, *The Dynamics of Vehicles - Basics, Simulation and Autonomous Systems*. IntechOpen, 2022. doi: 10.5772/intechopen.104043.
31. A. B. Haque, B. Bhushan, and G. Dhiman, "Conceptualizing smart city applications: Requirements, architecture, security issues, and emerging trends," *Expert Systems*, vol. 39, no. 5, Jun. 2021, doi: 10.1111/exsy.12753.
32. Z. Fan, C. Pang, and H. Tang, "Sensors on Internet of Things Systems for the Sustainable Development of Smart Cities: A Systematic Literature Review," *Sensors*, vol. 24, no. 7, p. 2074, Mar. 2024, doi: 10.3390/s24072074.
33. S. E. Bibri and J. Krogstie, "Environmentally data-driven smart sustainable cities: applied innovative solutions for energy efficiency, pollution reduction, and urban metabolism," *Energy Informatics*, vol. 3, no. 1, Nov. 2020, doi: 10.1186/s42162-020-00130-8.