www.ijarp.com ISSN 2456-9992 Page: 01-14

International Journal Advanced Research Publications

Research Article

Volume: 02

Issue: 11

FORMULATION AND DEVELOPMENT OF HERBAL SOAP

***[1]Vaibhav Namdev Rakshe, [2]Assistant Prof Akshata Patil, [3]Dr. Tushar T. Shelke**

[1]Research Scholar, Genba Sopanrao Moze College of Pharmacy, Wagholi, Pune, India.

[2]Assistant Professor, Genba Sopanrao Moze College of Pharmacy, Wagholi, Pune, India.

[3]Principle, Genba Sopanrao Moze College of Pharmacy, Wagholi, Pune, India.

Article Received: 18 October 2026, Article Revised: 05 November 2026, Published on: 25 November 2026

***Corresponding Author: Vaibhav Namdev Rakshe**
Research Scholar, Genba Sopanrao Moze College of Pharmacy, Wagholi, Pune, India.

Doi: https://doi-doi.org/101555/ijarp.1433

ABSTRACT

Herbal soaps are widely recognized as skin-friendly, biodegradable, and effective alternatives to synthetic cleansing bars. This review synthesizes evidence on the formulation and development of herbal soaps with a focus on widely studied botanicals such as Azadirachta indica (Neem), Ocimum tenuiflorum (Tulsi), Aloe barbadensis (Aloe vera), Sapindus mukorossi (Ritha), and Citrus limon (Lemon). Drawing on published studies and project reports, the paper consolidates knowledge on raw material selection, saponification routes, extraction strategies, incorporation of actives, and standardized evaluation parameters including pH, total fatty matter (TFM), foam behavior, moisture content, and microbiological quality. The discussion also contrasts herbal and synthetic bars, highlights stability and regulatory considerations, and maps practical directions for safe, efficacious, and sustainable product development.

KEYWORDS: Herbal Soap; Formulation; Saponification; Essential Oils; Phytochemicals; Total Fatty Matter; Evaluation.

INTRODUCTION

1 Herbal cosmetics integrate botanically derived materials with controlled formulation techniques to ensure performance, safety, and aesthetics. In soap technology, this concept merges traditional phytotherapy with modern surfactant chemistry. The main objective is dual — to achieve effective cleansing through saponification and surfactant action while simultaneously delivering dermatologic support via herbal actives and natural emollients.

2 From a formulation science standpoint, herbal soaps function as solid matrices where saponified oils, glycerin, and plant-derived phytochemicals interact to provide mild cleansing and measurable therapeutic effects. The quality of such products depends on key physicochemical parameters — pH, total fatty matter (TFM), moisture, foam height and retention, and the absence of excess free alkali. Maintaining these parameters ensures stability, safety, and consumer acceptance.

3 Growing environmental awareness and preference for "clean-label," biodegradable, and sustainable products have significantly expanded the market for herbal soaps in both domestic and institutional sectors. The appeal lies in their mildness, ecological compatibility, and multifunctional benefits such as antimicrobial, antioxidant, and moisturizing properties derived from botanicals like Neem, Tulsi, Aloe vera, and Ritha.

4 In essence, herbal soap formulation represents a systematic workflow beginning with careful selection of oils and herbal actives, proceeding through controlled saponification or melt-pour techniques, and concluding with standardized evaluation of physicochemical and microbiological attributes. Quality ultimately hinges on balancing cleansing efficiency with skin compatibility, resulting in a product that is effective, safe, and environmentally responsible.

HISTORICAL EVOLUTION AND RATIONALE FOR HERBAL SOAPS

The art of soap-making dates back to ancient civilizations, where fats were combined with ash-derived alkali to create early cleansing agents. Over time, aromatic herbs and natural oils were incorporated to improve fragrance, texture, and therapeutic value. In South Asian traditions, especially within Ayurveda, herbs like Neem, Tulsi, and Turmeric were widely used for skin cleansing and protection, laying the foundation for modern herbal soaps.

Herbal soaps evolved as an intersection of traditional wisdom and scientific formulation. Early herbal cleansing pastes have now transformed into standardized products developed through controlled saponification, ensuring both functional and aesthetic appeal. These formulations combine plant-based oils, herbal extracts, and natural additives to create skin-friendly, biodegradable, and eco-sustainable products. Modern research supports that the effectiveness and safety of herbal soaps depend on critical formulation parameters — pH, total fatty matter (TFM), moisture balance, and foaming characteristics. : selecting suitable oils and, and conducting physicochemical and microbiological evaluations to guarantee product stability and efficacy.In essence, the rationale for herbal soaps lies in their ability

to merge natural healing properties with modern cosmetic standards — offering a product that cleanses effectively, supports skin health, and aligns with contemporary environmental and consumer expectations.

4. LITERATURE REVIEW

Extensive research has been carried out on the formulation and evaluation of herbal soaps, emphasizing the use of natural ingredients that enhance both functionality and safety. Among the most studied herbs, Neem (Azadirachta indica) and Tulsi (Ocimum tenuiflorum) are consistently used as potent antibacterial and antifungal agents, while Aloe vera contributes moisturizing and soothing properties that improve skin hydration. Ritha (Sapindus mukorossi) serves as a natural foaming agent, and Lemon (Citrus limon) provides a refreshing fragrance and mild astringent effect.

Across multiple experimental studies, these herbal combinations have demonstrated superior cleansing efficiency, reduced skin irritation, and better environmental compatibility compared to synthetic soaps. The underlying mechanism of their action can be explained through the principles of saponification chemistry, surfactant dynamics, and phytochemical interactions within the soap matrix, which together determine the final product's texture, hardness, and lathering behavior.

Formulation methodologies, such as cold process, hot process, and double-boiling techniques, are widely applied depending on the thermal sensitivity of herbal actives and desired aesthetic characteristics. Regardless of the method, all studies converge on maintaining key physicochemical parameters like pH (5.5–7.0), total fatty matter (TFM ≥ 70%), moisture content (<10%), and foam stability, which collectively ensure mildness and high consumer acceptance.

Common findings also highlight that variations in oil blend ratios, extract concentrations, and curing conditions significantly influence soap quality and performance. However, the overarching theme across the literature is clear: careful integration of herbal extracts into balanced formulations results in soaps that are effective, safe, and environmentally sustainable, validating the scientific basis for their growing popularity in modern skinca

5. Materials and Herbal Ingredients

Formulation begins with selection of saponifiable lipids (e.g., coconut, olive, palm, sunflower) whose fatty acid distribution governs hardness, lather, and conditioning, followed

by the integration of herbal actives that deliver functional properties. The following botanicals appear prominently in published formulations:

- Neem (Azadirachta indica): broad-spectrum antibacterial and antifungal action; supports acne-prone skin.
- Tulsi (Ocimum tenuiflorum): antioxidant and anti-inflammatory; contributes to skin resilience.
- Aloe vera (Aloe barbadensis): hydrating polysaccharides and soothing components; supports barrier comfort.
- Ritha (Sapindus mukorossi): natural saponins enhance cleansing without excessive defatting.
- Lemon (Citrus limon): mild astringency and freshness; supports sebum balance and sensory appeal.
- Supplementary botanicals (e.g., turmeric, lavender): targeted activity and aromatics as indicated.



6. Formulation Methods (Cold Process, Hot Process, Double-Boiling)

The formulation of herbal soap relies heavily on the selected method of saponification, which determines the stability, quality, and preservation of herbal actives. Among the reported techniques, cold process, hot process (melt-pour), and double-boiling are the most widely adopted, each offering specific advantages depending on the characteristics of the oils and plant extracts used.

6.1 COLD PROCESS METHOD :- The cold process is one of the oldest and most preferred methods for artisanal and laboratory-scale herbal soap production. In this method, vegetable oils such as coconut, olive, or palm oil are blended with a sodium hydroxide solution at controlled room temperature to initiate saponification.

Since no external heat is applied, heat-labile phytochemicals such as polyphenols, flavonoids, and essential oils remain intact, preserving their therapeutic efficacy.

This method emphasizes trace control, gel phase management, and moisture regulation during curing. The soap mixture is poured into molds and allowed to cure for 2–6 weeks, during which excess water evaporates and the soap hardens naturally. The resulting bars exhibit a smoother texture, balanced pH, and high total fatty matter (TFM) value, ensuring mildness and enhanced skin compatibility.

However, the process demands precise control of reactant ratios and temperature. Slight deviations in alkali concentration or incomplete saponification can lead to residual free alkali, potentially causing irritation. Despite these challenges, the cold process remains ideal for incorporating delicate herbal actives and for small-scale or customized production.

6.2 HOT PROCESS (MELT-POUR) METHOD

The hot process, also known as the melt-pour or semi-boiling method, accelerates saponification by applying moderate heat. Oils and alkali are heated together until the reaction is complete, forming a thick soap paste. This paste is then allowed to cool slightly before adding herbal extracts, essential oils, or other thermosensitive additives.

The advantage of this technique lies in rapid production and improved process control, making it suitable for institutional, educational, and pilot-scale manufacturing. It also allows for the late addition of herbal actives, minimizing their exposure to high temperatures. The finished product can be demolded within 24 hours and used after a short curing period.

However, the elevated temperatures can sometimes degrade volatile components or alter color and fragrance. Optimization of heat exposure time and mixing speed helps preserve bioactive compounds while maintaining a uniform soap texture.

6.3 DOUBLE-BOILING METHOD

primarily used when incorporating herbal powders, gels, or extracts in liquid or semi-solid form. A pre-saponified glycerin soap base is melted using indirect heat, and herbal additives are blended under controlled temperatures (below 70°C) to prevent volatilization or decomposition. The double-boiling or glycerin-base method is a modification of the hot process,

This approach provides excellent flexibility for incorporating complex herbal combinations and is particularly suited for transparent or medicated soaps. The method ensures even dispersion of additives like Neem oil, Aloe vera gel, or Lemon extract without affecting the clarity or hardness of the final product. The resulting bars are often aesthetically appealing and retain the functional benefits of herbal actives.

6.4 GENERAL WORKFLOW AND QUALITY CONSIDERATIONS

Across all methods, the workflow remains consistent:

- Selection of Oils and Herbal Actives – Based on fatty acid profile, therapeutic properties, and stability.
- Preparation of Alkali Solution – Controlled concentration of sodium or potassium hydroxide.
- Saponification and Mixing – Maintenance of reaction temperature and homogeneity.
- Incorporation of Herbal Extracts or Essential Oils – Added at trace or during cooling to preserve activity.
- Molding and Curing – Essential for moisture reduction and hardening.
- Evaluation – Parameters like pH (5.5–7.0), TFM (≥70%), moisture content (<10%), and foam stability are measured to ensure product consistency.

Methodologically, variations in oil blend ratios, extract concentrations, and curing conditions influence parameters such as hardness, foaming, and shelf-life. Yet, the unifying theme across published research is clear: quality depends on maintaining optimal pH, moisture balance, and complete saponification while minimizing excess free alkali. Proper control over these factors yields herbal soaps that are safe, effective, and dermatologically compatible.

In conclusion, the selection of the appropriate formulation method depends on the type of herbal actives, production scale, and desired product characteristics. The cold process is favored for preserving bioactives, the hot process for efficiency, and the double-boiling method for specialized or transparent formulations. A well-executed method ensures not only product stability but also enhances the therapeutic and aesthetic appeal of herbal soaps.

FIGURE 1. PROCESS FLOW FOR HERBAL SOAP FORMULATION



Figure 1:- illustrates a typical process sequence, from selection and extraction of herbs through saponification, incorporation, molding, curing, and evaluation.

7. FORMULATION, EVALUATION, AND PHYTOCHEMICAL INSIGHTS OF HERBAL SOAPS

Quality control for herbal soap emphasizes reproducibility and skin compatibility. Typical endpoints include pH, TFM, moisture content, foam height and retention, alcohol-insoluble matter, cleansing ability, and primary skin irritancy tests. Microbiological screening may be indicated for high-moisture bars or for products with botanical suspensions. Representative target ranges compiled from the referenced studies are summarized below.

Parameter	Target/Typical Range	Rationale	Notes
pH	5.5 – 7.0	Skin compatibility; reduce irritation risk	Adjust via superfat and cure time
Total Fatty Matter (TFM)	≥ 70%	Conditioning & mildness	Higher TFM linked to better feel
Moisture Content	≤ 10%	Shelf-life & microbial control	Drying/curing conditions critical
Foam Height	Adequate & stable	User acceptability	Optimized with oil blend & Ritha
Foam Retention	60 – 120 s	Cleansing consistency	Depends on surfactant system
Free Alkali	Within pharmacopeial limit	Avoid causticity	Back-titration methods used

FIGURE 2. TYPICAL EVALUATION TARGETS



Figure 2:- Presents Representative Target Values Commonly Reported For Herbal Soap Performance and Safety.

7.1COMPARATIVE DISCUSSION: HERBAL VS. SYNTHETIC SOAPS

Herbal soaps differ fundamentally from synthetic soaps in their composition, mode of action, and overall impact on skin health and the environment. Herbal bars are primarily composed of plant-derived oils, natural surfactants, and botanical extracts, while synthetic soaps (or detergent bars) often contain artificial surfactants, preservatives, and fragrances that may cause dryness or irritation with prolonged use.

The main advantage of herbal soaps lies in their biodegradable and non-toxic nature, making them safer for both the user and the environment. Their naturally retained unsaponifiable matter and antioxidants—such as tocopherols, flavonoids, and essential oil compounds—enhance skin conditioning and reduce irritation. Controlled pH and high total fatty matter (TFM) further contribute to mildness and moisture retention, providing better dermatologic compatibility than most commercial synthetic bars.Conversely, synthetic soaps and detergents, though cost-effective and stable, often rely on sulfate-based surfactants and artificial stabilizers to enhance foaming and shelf life. These compounds can disrupt the skin's lipid barrier, leading to dryness or sensitivity in long-term use. Moreover, synthetic additives such as parabens, triclosan, and artificial fragrances have raised ecological and safety concerns.

From a formulation science perspective, both types follow similar saponification or surfactant-blending principles. However, the inclusion of herbal actives introduces phytochemical functionality—antimicrobial, antioxidant, and anti-inflammatory benefits—that synthetic formulations generally lack. Studies consistently demonstrate that soaps enriched with Neem, Tulsi, or Aloe vera provide superior cleansing efficacy while maintaining skin hydration and pH balance.

Despite their advantages, herbal soaps face challenges like variability in raw materials, shorter shelf life, and batch-to-batch consistency, which can be mitigated through extract standardization and optimized curing conditions. Synthetic soaps, on the other hand, excel in mass production, uniformity, and cost control but compromise on ecological and dermatological aspects.

In conclusion, herbal soaps offer a holistic alternative to synthetic variants, uniting traditional botanical benefits with modern cosmetic standards. When formulated under controlled conditions, they deliver effective cleansing, therapeutic advantages, and environmental sustainability—qualities increasingly valued in today's health-conscious market.

7.2 PHYTOCHEMICAL CONSIDERATIONS AND MECHANISMS OF ACTION

The efficacy of herbal soaps largely depends on the phytochemical constituents present in the

incorporated plant extracts, which impart therapeutic and functional properties to the final formulation. Each herbal component contributes distinct biochemical actions that enhance cleansing, antimicrobial protection, and skin conditioning.

Neem (Azadirachta indica) contains azadirachtin and nimbidin, compounds known for their potent antibacterial, antifungal, and anti-inflammatory properties. Tulsi (Ocimum tenuiflorum) is rich in polyphenols, flavonoids, and eugenol, offering strong antioxidant and antimicrobial effects. Aloe vera (Aloe barbadensis) provides mucopolysaccharides and polysaccharide-rich gel that improves hydration, soothes irritation, and accelerates epithelial repair. Ritha (Sapindus mukorossi) contains natural saponins that act as gentle surfactants, improving foam and cleansing without excessive dryness. Citrus species like lemon supply citric acid and essential oils that refresh the skin and provide mild exfoliation.

From a formulation science standpoint, these phytochemicals interact within the soap matrix through saponification and micellar stabilization. The synergy between fatty acids, residual glycerin, and plant actives creates a balanced system that effectively removes dirt and oil while maintaining the skin's protective lipid barrier. The presence of antioxidants further helps in reducing oxidative stress and preventing rancidity, thereby improving product stability and shelf life. The overall mechanism of action can be summarized as a combination of surface-active cleansing, antimicrobial defense, and skin restoration. Surfactants formed during saponification lower surface tension and emulsify

oils, while herbal actives exert therapeutic benefits at the skin interface. This dual mechanism ensures both cleanliness and dermatologic nourishment.

The overall mechanism of action can be summarized as a combination of surface-active cleansing, antimicrobial defense, and skin restoration. Surfactants formed during saponification lower surface tension and emulsify oils, while herbal actives exert therapeutic benefits at the skin interface. This dual mechanism ensures both cleanliness and dermatologic nourishment.In essence, the phytochemical profile of herbal soaps defines their multifunctional nature — cleansing efficiently while delivering antimicrobial, antioxidant, and moisturizing effects — making them superior, sustainable alternatives to conventional synthetic soaps.

7.3 REPRESENTATIVE FORMULATION APPROACHES(SYNTHESIZED FROM SOURCES)

Case A (Cold-Process Neem-Tulsi Bar): Oil phase rich in coconut and olive oils, with superfat to enhance conditioning; aqueous phase introduces a controlled NaOH solution; Neem and Tulsi extracts added at trace; cure to stabilize crystal morphology. Case B

(Double-Boil Glycerin Base with Aloe and Lemon): Melt base under controlled heat; blend in Aloe gel and citrus fraction at reduced temperature; cast and set; evaluate. Case C (Melt-Pour with Ritha Powder): Incorporate fine Ritha powder and essential oils late to preserve actives; manage dispersion to avoid gritty feel; monitor foam and rinseability.

8. STABILITY, PACKAGING, AND SHELF-LIFE

STABILITY :- and longevity of herbal soaps depend on maintaining their physical, chemical, and microbiological integrity throughout storage. Key concerns include moisture migration, fragrance loss, discoloration, and rancidity caused by oxidation of unsaturated fatty acids. To mitigate these issues, soaps should undergo controlled humidity curing for adequate drying and hardening, ensuring low residual moisture (<10%) to prevent microbial growth and texture softening.Antioxidants naturally present in oils—such as tocopherols and phenolic compounds—along with added chelating agents (e.g., EDTA or citric acid), play a vital role in preventing rancidity and color change, thereby extending the product's shelf life. Maintaining an appropriate pH (5.5–7.0) is essential to ensure product stability and skin compatibility over time.

PACKAGING:- significantly influences stability. The use of moisture-proof, opaque, and airtight materials—such as laminated paper, aluminum foil, or eco-friendly biodegradable wraps—reduces exposure to humidity, oxygen, and light, all of which can degrade herbal actives and essential oils. Fragrance retention can be further improved by sealing soaps immediately after curing and storing them in cool, dry conditions away from direct sunlight.

From a formulation standpoint, stability reflects the balance between soap matrix structure, residual water content, and the protective role of natural antioxidants. Regular quality control (QC) testing—including pH monitoring, hardness assessment, and visual inspection for cracks or color variation—is crucial to evaluate long-term performance.

SHELF LIFE:- of herbal soaps are best preserved through controlled curing, antioxidant protection, and barrier packaging. Proper environmental storage and periodic quality checks not only ensure product efficacy but also maintain consumer confidence in the long-term safety and performance of herbal soap formulations.

9. REGULATORY AND SAFETY CONSIDERATIONS

Although herbal soaps are categorized as cosmetic products, they must comply with Good Manufacturing Practice (GMP) and regulatory quality standards to ensure product safety, consistency, and consumer trust.

GMP principles demand the use of validated procedures, traceable raw materials, controlled environments, and documented testing protocols throughout production.

This ensures that every batch maintains uniformity in physicochemical properties, microbial safety, and performance.

Before market release, safety evaluations such as skin irritation or patch testing are essential to confirm dermatologic compatibility. Claims regarding antibacterial or therapeutic effects must align with cosmetic regulations—unless the product is registered under a medicated or pharmaceutical category, in which case stricter drug-level validation and licensing are required.

Regulatory frameworks such as the Drugs and Cosmetics Act (India) and Cosmetic Ingredient Review (CIR) guidelines mandate labeling transparency, including a complete ingredient list, batch number, manufacturing date, and expiry date. Moreover, the maximum allowable limits of essential oils, preservatives, and colorants must be strictly followed to prevent allergic reactions or sensitization. Allergen labeling, particularly for citrus oils, fragrance compounds, or herbal extracts with strong bioactives, is a critical part of consumer safety compliance.From a formulation perspective, ensuring skin-compatible pH (5.5–7.0), low free alkali content, and microbiological safety are central to maintaining product quality. Stability testing under various temperature and humidity conditions validates shelf life and ensures long-term safety.In summary, adherence to regulatory standards and GMP principles guarantees that herbal soaps remain safe, effective, and legally compliant while upholding consumer confidence. A combination of standardized raw materials, validated manufacturing practices, and transparent labeling forms the foundation of both product integrity and market acceptance.

10. FUTURE DIRECTIONS

Standardized extracts with defined marker compounds will improve batch-to-batch consistency and enable clearer structure–activity correlations. In practice, this aspect has been examined across multiple experimental set-ups, and it repeatedly emerges as a decisive factor influencing product quality, safety, and user acceptability. From a formulation science standpoint, the underlying mechanisms can be rationalized using basic concepts of saponification chemistry, surfactant behavior, and phytochemical functionality in the solid bar matrix. Together these data points reinforce a central observation: when herbal actives are integrated thoughtfully, the bar not only cleanses but also delivers measurable dermatologic

benefits while remaining environmentally considerate. Green extraction methods and biodegradable packaging can further enhance the sustainability profile of herbal soaps. In practice, this aspect has been examined across multiple experimental set-ups, and it repeatedly emerges as a decisive factor influencing product quality, safety, and user acceptability. From a formulation science standpoint, the underlying mechanisms can be rationalized using basic concepts of saponification chemistry, surfactant behavior, and phytochemical functionality in the solid bar matrix. Together these data points reinforce a central observation: when herbal actives are integrated thoughtfully, the bar not only cleanses but also delivers measurable dermatologic benefits while remaining environmentally considerate. Data-rich evaluation (e.g., image analysis of bubble morphology, dynamic foam tests) can connect sensory outcomes with measurable parameters. In practice, this aspect has been examined across multiple experimental set-ups, and it repeatedly emerges as a decisive factor influencing product quality, safety, and user acceptability. From a formulation science standpoint, the underlying mechanisms can be rationalized using basic concepts of saponification chemistry, surfactant behavior, and phytochemical functionality in the solid bar matrix. Together these data points reinforce a central observation: when herbal actives are integrated thoughtfully, the bar not only cleanses but also delivers measurable dermatologic benefits while remaining environmentally considerate. Methodologically, most reports converge on a workflow that begins with careful selection of oils and herbal actives, proceeds through controlled alkali neutralization, and ends with standardized evaluation of physicochemical and microbiological attributes. Variations in oil blend, extract concentration, and curing conditions account for the differences observed between studies, but a common theme is evident: quality hinges on controlling pH, total fatty matter, moisture, and foam behavior while avoiding excess free alkali and ensuring skin-compatible surfactant profiles. Methodologically, most reports converge on a workflow that begins with careful selection of oils and herbal actives, proceeds through controlled alkali neutralization, and ends with standardized evaluation of physicochemical and microbiological attributes. Variations in oil blend, extract concentration, and curing conditions account for the differences observed between studies, but a common theme is evident: quality hinges on controlling pH, total fatty matter, moisture, and foam behavior while avoiding excess free alkali and ensuring skin-compatible surfactant profiles. Methodologically, most reports converge on a workflow that begins with careful selection of oils and herbal actives, proceeds through controlled alkali neutralization, and ends with standardized evaluation of physicochemical and microbiological attributes. Variations in oil blend, extract concentration, and curing

conditions account for the differences observed between studies, but a common theme is evident: quality hinges on controlling pH, total fatty matter, moisture, and foam behavior while avoiding excess free alkali and ensuring skin-compatible surfactant profiles. Methodologically, most reports converge on a workflow that begins with careful selection of oils and herbal actives, proceeds through controlled alkali neutralization, and ends with standardized evaluation of physicochemical and microbiological attributes. Variations in oil blend, extract concentration, and curing conditions account for the differences observed between studies, but a common theme is evident: quality hinges on controlling pH, total fatty matter, moisture, and foam behavior while avoiding excess free alkali and ensuring skin-compatible surfactant profiles. Methodologically, most reports converge on a workflow that begins with careful selection of oils and herbal actives, proceeds through controlled alkali neutralization, and ends with standardized evaluation of physicochemical and microbiological attributes. Variations in oil blend, extract concentration, and curing conditions account for the differences observed between studies, but a common theme is evident: quality hinges on controlling pH, total fatty matter, moisture, and foam behavior while avoiding excess free alkali and ensuring.

11. CONCLUSION

Herbal soap development blends classical saponification chemistry with the functional promise of botanicals. Evidence summarized in this review indicates that Neem, Tulsi, Aloe vera, Ritha, and Lemon—alone or in synergy—can deliver mild, effective cleansing with favorable pH, TFM, and foam metrics. With attention to extract standardization, controlled processing, and comprehensive evaluation, herbal bars can meet modern expectations for safety, efficacy, and environmental responsibility.

12. REFERENCES

1. Nerkar A., et al. Formulation and Evaluation of Herbal Soap. Current Trends in Pharmacy and Pharmaceutical Chemistry, 2020.
2. Mandal P., et al. Formulation and Evaluation of Herbal Paper Soap. Int. J. Pharm. Sci. Drug Analysis, 2021.
3. Das S., et al. Formulation and Evaluation of Herbal Soap. Journal of Pharmacognosy and Phytochemistry, 2024.
4. Krishna K. R., et al. Formulation and Evaluation of Herbal Soap Containing Ocimum tenuiflorum (Tulsi). Journal of Pharma Insights and Research, 2024.

5. Gnaneshwari V., et al. Herbal Soaps: A Comprehensive Review of Composition, Benefits, and Future Directions. Int. J. Pharm & Ind. Res., 2025.
6. Devipriya Nisha P., et al. Formulation, Development and Characterization of Herbal Soap Using Borassus flabellifer and Curcuma zedoaria. Int. J. Pharm. Sci. Rev. Res., 2021.
7. Patel S., et al. Formulation and Evaluation of Herbal Soap. International Journal of Novel Research and Development, 2024.
8. Gaywal B. B., et al. Formulation and Evaluation of Herbal Soap of Neem and Tulsi. IJNRD, 2024.