www.ijarp.com ISSN 2456-9992 Page: 01-19

Review Article

International Journal Advanced Research Publications

Volume: 02
Issue: 11

FUNDAMENTAL AND APPLIED ASPECT OF LIFESTYLE IN AYURVEDA CLASSICS AND ITS ROLE IN AGNIMANDYA: A COMPREHENSIVE REVIEW

Dr. Deepika Singh*[1], Dr. Shalini Varshney [2]

[1]Post Graduate, *Dravyaguna Vigyan*, *Ayurvedic* and *Unani* Tibbia College, Delhi, India.

[2]Associate Professor, Department of Dravyaguna Vigyan, Ayurvedic and Unani Tibbia College, Delhi, India.

Article Received: 22 September 2026, Article Revised: 12 October 2026, Published on: 01 November 2026

***Corresponding Author: Dr. Deepika Singh**

Post Graduate, Dravyaguna Vigyan, Ayurvedic and Unani Tibbia College, Delhi, India.

Doi: https://doi-doi.org/101555/ijrpa.8798

ABSTRACT

Non-communicable diseases (NCDs) and metabolic disorders have emerged as the leading global health burden, with gastrointestinal and metabolic dysfunctions serving as their core pathological foundation. In Ayurvedic medicine, *Jatharagnimandya* (functional hypoactivity or impairment of the master digestive fire) is identified as the prime systemic root of all endogenous disease manifestations (*Rogāḥ Sarve'pi Mande'gnau*). While classical treatises outline comprehensive codes of daily behavior (*Vihara*), structured dietary etiquette (*Ahara Vidhi*), and liquid ingestion regulations (*Ambupana Vidhi*), contemporary society is characterized by pervasive behavioral and chronobiological discordance.

This review compiles, synthesizes, and critically analyzes the fundamental and applied aspects of lifestyle described across Ayurvedic classical texts (*Brihattrayi* and *Laghutrayi*) and evaluates their pathophysiological role in *Agnimandya*. Classical literature demonstrates that lifestyle deviations—such as night vigils (*Ratrau Jagarana*), daytime sleep (*Divaswapna*), physical inactivity (*Avyayama*), suppression of physiological urges (*Vega Dharana*), irregular dining (*Vishamashana*), overeating (*Adhyashana*), distracted eating (*Atanmana Bhojana*), and excess fluid intake (*Atyambupana*)—directly derange the regulatory *Ahara Parinamakara Bhavas* and vitiate the *Tridosha*. This induces gastrointestinal hypomotility, blunted enzymatic secretion, and the formation of *Ama* (toxic unassimilated metabolites) that obstruct bodily channels (*Srotas*). Systematic correction of these habits (*Nidana Parivarjana*) forms the fundamental prerequisite for regaining metabolic

equilibrium (*Samagni*). Realignment of daily habits with classical Ayurvedic paradigms offers an essential, sustainable approach to resolving *Agnimandya*.

1. INTRODUCTION

Globally, non-communicable diseases (NCDs) have overtaken communicable infections as the leading causes of human mortality and long-term morbidity [1]. The World Health Organization (WHO) identifies cardiovascular conditions, type 2 diabetes mellitus, chronic obstructive pulmonary diseases, and metabolic malignancies as major contributors to this global burden [1, 2]. Comprehensive health analyses indicate that common preventable risk factors—specifically physical inactivity, improper sleep patterns, chronic psychological distress, and irregular dietary behaviors—underlie the genesis of most lifestyle-related non-communicable disorders [1, 2].

Ayurveda conceptualizes health (*Swasthya*) not as a passive state or merely the absence of disease, but as an active, dynamic equilibrium among the biological humors (*Dosha Samya*), metabolic and digestive efficiency (*Agni Samya*), structural tissue integrity (*Dhatu Samya*), proper excretion (*Mala Kriya*), and internal psycho-sensory tranquility (*Prasannatmendriyamanah*) [3]. Classical texts historically projected human lifespan at one hundred years (*Shatayu*) through the disciplined regulation of sensory organs, balanced nutrition, and adherence to biological rhythms [1]:

$$\text{षत्रिंशतं सहस्राणि रात्रीणां हितभोजनः \vert{} जीवत्यनातुरो जन्तुर्जितात्मा सम्मतः सताम् \vert{}\vert{}}$$

(Charaka Samhita, Sutrasthana 27/348) [1]

Classical authorities observed that reductions in life expectancy across successive epochs (*Yugas*) stem from moral, psychological, and behavioral decay, including anger, vanity, greed, anxiety, and unwholesome living routines [1]. To preserve physiological homeostasis and prevent endogenous illnesses, classical Ayurveda established the specialized discipline of *Swasthavritta* (preventive medicine and positive health) [3]. This framework encompasses:

1. *Dinacharya* (daily diurnal regimen) [3]
2. *Ratricharya* (nocturnal regimen) [3]
3. *Ritucharya* (seasonal adaptation) [3]
4. *Sadvritta* (ethical, social, and psychological conduct) [3]
5. *Ahara Vidhi* (scientific dietary etiquette and ingestion rules) [3]

6. *Vega Vidharana and Udirana* (management of bodily reflexes and suppression of instinctive urges) [3, 4].

When individuals violate these rhythmic codes through sedentary habits, improper dietary regimens, and psychological strain, the earliest functional casualty is *Agni*—specifically *Jatharagni* (the primary digestive and metabolic fire located in the gastrointestinal tract) [5, 6]. The classical dictum *"Rogāḥ Sarve'pi Mande'gnau"* (*Ashtanga Hridaya, Nidanasthana 12/3*) establishes that all systemic endogenous diseases have their genesis in impaired or sluggish *Agni* [5]. *Agnimandya* is the fundamental initiating factor in pathogenesis (*Samprapti*), generating *Ama*—intermediate, toxic, unassimilated metabolic byproducts that obstruct bodily channels (*Srotorodha*), compromise cellular metabolism, and give rise to systemic disorders [5, 7].

2. Aims and Objectives

The primary objectives of this comprehensive review are:

1. To compile, interpret, and explore the fundamental concepts of lifestyle—encompassing *Vihara* (conduct/physical activities), *Ahara Vidhi* (dietary rules), *Ambupana Vidhi* (water ingestion rules), and *Achara* (behavioral hygiene)—as delineated across Ayurvedic classics [3, 4, 8].
2. To examine the physiological role of *Jatharagni* and its regulatory determinants (*Ahara Parinamakara Bhavas*) in food transformation [9, 10].
3. To evaluate how modern lifestyle deviations cause *Tridosha* vitiation, disrupt gastrointestinal dynamics, and initiate the pathogenesis of *Agnimandya* [5, 11, 12].
4. To establish the applied significance of behavioral and dietary modification (*Nidana Parivarjana*) in restoring *Samagni* (optimal digestive capacity) [13, 14].


3. MATERIALS AND METHODS

This study is designed as a literary and conceptual review based on authentic classical texts and relevant biomedical literature [15]:

- **Primary Ayurvedic Classical Literature:** *Charaka Samhita*, *Sushruta Samhita*, *Ashtanga Hridaya*, and *Ashtanga Samgraha*, with comprehensive reference to Sanskrit commentaries by Chakrapanidatta (*Ayurveda Dipika*), Dalhana (*Nibandhasamgraha*), Arunadatta (*Sarvangasundara*), Hemadri (*Ayurvedarasayana*), and Indu (*Sashilekha*) [15].
- **Secondary Classical Compendia:** *Kashyapa Samhita*, *Bhavaprakasha*, *Bhela Samhita*, *Madhavanidana*, and *Kaiyadeva Nighantu* (*Pathyapathya Vibodhaka*) [15].

- **Modern Scientific Literature:** Peer-reviewed physiological, chronobiological, gastroenterological, and endocrine research articles evaluating circadian cycles of digestive enzymes, enteric neuro-hormonal signaling (ghrelin, leptin, orexins), splanchnic circulation, gastrointestinal motility, and autonomic nervous interactions to contextualize classical observations [12, 16–21].
- **Method of Synthesis:** Classical passages were gathered, categorized according to functional themes (*Vihara*, *Ahara Vidhi*, *Ambupana Vidhi*, and *Agnimandya Samprapti*), critically analyzed, and cross-referenced with modern physiology to synthesize a structured, evidence-based conceptual model [15, 22, 23].

4. Observations



4.1. The Classical Concept of Lifestyle

Lifestyle represents the totality of an individual's behaviors, habits, social interactions, environment, circadian routines, and conduct across daily life [2]. In classical Ayurveda, these activities are categorized under *Ahara* (diet), *Vihara* (physical activities and routines), and *Achara* (psychological and ethical conduct) [3, 4].

Acharya Sushruta notes that the prevention and management of disease (*Vyadhi Nigraha*) rests upon four pillars: *Samshodhana* (cleansing therapies), *Samshamana* (pacifying therapies), *Ahara* (dietary intake), and *Achara* (conduct) [4]. *Achara* operates through three avenues: *Kayika Karma* (somatic actions, such as exercise), *Vachika Karma* (speech habits and verbal control), and *Manasika Karma* (cognitive and emotional regulation) [4].

Arunadatta further classifies *Vihara* into:

1. *Niyata Kala Vihara* (fixed-schedule routines), such as *Dinacharya* and *Ritucharya* [4].
2. *Aniyata Kala Vihara* (variable-schedule routines), tailored to changing physiological states, age, or specific clinical conditions (*Avasthika*) [4].

4.2. Applied Aspects of Vihara (Physical and Behavioral Regimens)

A. Nidra (Sleep Regimens and Chronobiology)

Sleep is one of the three supporting pillars of life (*Trayopastambha*), maintaining tissue equilibrium (*Dhatu Samya*), sensory alertness, metabolic strength, and longevity [24]:

{निद्रायत्तं सुखं दुःखं पुष्टिः कार्श्यं बलाबलम् \vert{} वृषता क्लीबता ज्ञानमज्ञानं जीवितं न च}

(Charaka Samhita, Sutrasthana 21/36) [24]

- **Ratrau Jagarana (Nocturnal Wakefulness):** Keeping awake at night introduces unctuous depletion and dryness (*Rukshata*), aggravating *Vata* and *Pitta* [25]. Kaiyadeva Nighantu states that waking during the *Kapha Kala* of the night (first quadrant, roughly 6:00 PM to 10:00 PM) causes less digestive impairment because *Kapha* counters the drying effect of wakefulness [25]. Conversely, vigil during the *Vata Kala* (last quadrant of the night, 2:00 AM to 6:00 AM) provokes *Vata*, disturbing *Jatharagni* and disrupting normal digestive rhythms [25].
- **Divaswapna (Daytime Sleep):** Sleeping during the day is contraindicated across all seasons except *Grishma* (summer), where environmental heat depletes bodily fluids and nights are naturally short [24, 26]. Outside of summer, daytime sleep increases *Kapha* and *Pitta*, causing bodily heaviness (*Gurugatrata*), channel obstruction, coating over the epigastric region (*Hridaya Pralepa*), and loss of digestive power (*Agninasha*) [24, 25, 27].

When nighttime sleep is lost, texts recommend resting the following morning for half the lost duration on an empty stomach (*Abhuktavan*) to pacify *Vata* without aggravating *Kapha* or blunting *Agni* [28, 29].

- **Brahma Muhurta (Early Awakening):** Waking during *Brahma Muhurta* (the 14th Muhurta of the night, approximately 96 minutes before sunrise) aligns human physiology with ambient *Vata*, promoting regular evacuation of bowel and bladder, metabolic readiness, and mental clarity [26, 29].

B. Vyayama (Physical Exercise)

Exercise is defined as physical action that brings about bodily stability, endurance, and strength (*Sharirayasa-jananam karma*) [30].

- **Therapeutic Benefits:** Daily, moderate exercise creates lightness (*Laghava*), improves capacity to work (*Karma Samarthya*), eliminates excess fat (*Medas*), tones tissues, pacifies *Kapha*, and stimulates digestive fire (*Agnivriddhi*) [31].
- **Ardhashakti (Optimum Exercise Threshold):** Exercise should be practiced to half of one's physiological capacity (*Ardhashaktya*), recognized by perspiration on the forehead, nose, axillae, and joints, along with deepened respiration and bodily lightness [31, 32]. Beyond this threshold, excessive exercise (*Ativyayama*) provokes *Vata* and *Pitta*, causes tissue depletion (*Dhatukshaya*), exhaustion, thirst, internal hemorrhage (*Raktapitta*), and dyspnea [33, 34].
- **Avyayama (Sedentary Living):** Lack of physical exertion vitiates *Kapha*, delays gastric emptying, promotes metabolic stasis, and contributes to obesity (*Sthaulya*) and diabetes (*Prameha*) [33, 35].
- **Temporal Relationship with Food:** Classics emphasize that exercise must be performed on an empty stomach (*Kshudha-rahita* and *Abhukta*) [32, 36]. Exercising immediately after a meal pulls blood and *Vayu* away from the central digestive tract (*Kostha*) into peripheral tissues (*Shakha*), establishing deep-seated metabolic toxins and chronic disease [36, 37].

C. Chankramana, Adhva, and Asana (Locomotion and Posture)

- **Chankramana (Gentle Walking):** A calm, gentle stroll (such as *Shatapada Gamana* after meals) stimulates *Agni*, sharpens sensory organs, and assists gastrointestinal movement without exhausting the body [38, 39].
- **Adhva (Brisk Walking / Long Marches):** Long, rapid treks reduce *Kapha* and fat, but excessive distance (*Ati-adhva*) depletes bodily tissues, exacerbates *Vata*, and brings on premature aging [38].

- **Asana (Sitting Ergonomics):** Extended sitting on hard or irregular surfaces produces *Apana Vata Dushti*, leading to hemorrhoids (*Arsha*), pelvic congestion, constipation, and diminished metabolic output [40, 41].

D. Abhyanga (Therapeutic Oil Massage)

Daily external oil massage (*Abhyanga*) mitigates *Vata*, relieves physical fatigue, nourishes the skin, and promotes sound sleep [42, 43]. Applied to the head (*Shirah*), ears (*Shravana*), and feet (*Pada*), it grounds systemic physiology [43, 44]. Massage should occur before bath and exercise, when the individual feels hungry and the *Srotas* are patent [30, 44, 45]. *Abhyanga* is contraindicated in acute fever (*Taruna Jwara*), indigestion (*Ajirna*), and conditions characterized by heavy *Ama* or *Santarpana*, as unabsorbed oils worsen channel obstruction [43, 44].

E. Snana (Ablution / Bathing)

Bathing cleanses the body, restores appetite (*Dipana*), builds vitality (*Urjaprada*), and supports sensory clarity [46].

- Pouring cold water over the head protects vision and calms the nervous system, whereas hot water over the torso balances *Vata* and *Kapha* [46].
- Taking a bath immediately after a meal redirects blood flow to peripheral vasculature via *Bhrajaka Pitta*, cooling the internal digestive space and abruptly halting *Jatharagni* [47, 48].

F. Vega Dharana and Udirana (Suppression and Forcible Induction of Urges)

The natural urges are governed by the motile force of *Vata* [49].

- **Adharaniya Vega (Non-suppressible Urges):** The physiological urges of flatus (*Vata*), feces (*Purisha*), urine (*Mutra*), eructation (*Udgara*), sneezing (*Kshavathu*), hunger (*Kshudha*), thirst (*Trishna*), tears (*Bashpa*), sleep (*Nidra*), and yawning (*Jrimbha*) must never be voluntarily suppressed [49]. Suppressing downward flatus or defecation forces *Apana Vayu* into reverse (*Pratiloma Gati*), impairing *Samana Vata*, weakening *Jatharagni*, and manifesting as distension, pain, and *Udavarta* [49, 50, 51].
- **Dharaniya Vega (Suppressible Mental Urges):** Conversely, destructive psychological impulses—such as greed (*Lobha*), grief (*Shoka*), fear (*Bhaya*), anger (*Krodha*), and malice—must be actively governed [49, 52]. Chronic anger provokes *Pitta* and *Vata*, while fear and anxiety depress digestive secretions, demonstrating a psychosomatic route to indigestion [39, 41, 52, 53].

4.3. Ahara Vidhi (Dietary Principles and Regimens)

Food is the foundation of bodily tissue, strength, and immunity, but it can act as an endogenous poison when consumed improperly (*Tadayuktya Nihantyasun*) [54]. Charaka classifies therapeutic food administration into *Dravyabhuta* (material substances) and *Adravyabhuta* (qualitative and behavioral approaches) [54]. The structural rules of dietetics (*Ahara Vidhi Vidhana*) constitute an *Adravyabhuta* therapy that directly dictates enzymatic output and gastric harmony [54, 55].

ASHTA AHARA VIDHI VISHESHA AYATANA	
1. Prakriti (Nature)	Inherent qualitative properties (Guru/Laghu)
2. Karana (Processing)	Samskara or processing altering qualities
3. Samyoga (Combination)	Synergy or incompatibility of mixed foods
4. Rashi (Quantity)	Sarvagraha (total) and Parigraha (fraction)
5. Desha (Habitat/Region)	Geographic adaptation and origin of food
6. Kala (Time/Season)	Daily meal times and seasonal adjustments
7. Upayogasamstha (Rules)	Rules of consumption based on digestion
8. Upayokta (The Consumer)	Individual internal capacity and Satmya

The Ten Rules of Ingestion (*Ahara Vidhi Vidhana*)

1. Ushnam Ashniyat (Consume Warm Food): Warm food tastes delicious, stimulates *Jatharagni*, speeds digestion, promotes downward movement of *Vata*, and reduces excess *Kapha* [55, 56]. Consuming cold food (*Shita Ahara*) or repeatedly reheated meals (*Shitam Ushnikritam Punah*) dulls digestive enzymes, delays gastric transit, and promotes *Ama* [57, 58].

2. Snigdham Ashniyat (Consume Unctuous Food): Mildly unctuous food promotes mucosal suppleness, facilitates gastric emptying, stimulates dormant *Agni*, and aids the downward motion of *Vata* [55, 59]. Completely dry food (*Ati-Ruksha*) causes constipation, flatulence, and depletion of strength [60]. Excessive fats (*Ati-Snigdha*), however, overwhelm the stomach and blunt *Pachaka Pitta* [50, 59].

3. Matravat Ashniyat (Consume Optimal Quantity): Proper quantity maintains longevity without provoking the three doshas [55, 61]. Charaka outlines the three-compartment principle (*Trividha Kukshi*): the stomach should be filled with **one-third solid food (*Murta Ahara*)**, **one-third liquid food (*Drava Ahara*)**, and **one-third left empty** for the movement of regulatory doshas (*Vata, Pitta, Kapha*) [61, 62]. Eating past satiety (*Atimatra*) obstructs the stomach, traps gas, and leads to immediate indigestion [63, 64].

4. **Jirne Ashniyat (Eat Only After Digestion of the Previous Meal):** Consuming food while an earlier meal remains undigested (*Ajirnashana* or *Adhyashana*) mixes immature chyme with fresh food, destabilizing all three doshas and provoking severe gastric distress [55, 65, 66]. Meal ingestion must await *Jirna Ahara Lakshana*—unimpaired belching (*Udgara Shuddhi*), lightness of the abdomen (*Laghuta*), systemic enthusiasm (*Utsaha*), natural hunger (*Kshudha*), and downward clearance of wastes (*Vegotsarga*) [65, 67].
5. **Virya Aviruddham Ashniyat (Consume Potency-Compatible Foods):** Ingredients with opposing energetic qualities (such as heating fish combined with cooling milk) should not be mixed, as they disrupt tissue metabolism at cellular levels (*Viruddhadhara*) [55, 68].
6. **Ishte Deshe, Ishta Sarvopakarane (Eat in Pleasant Surroundings):** Eating in hygienic, emotionally peaceful settings prevents psychological distress, which impairs autonomic digestive pathways [55, 68].
7. **Na Atidrutam (Do Not Eat Hurriedly):** Hurried eating prevents sensory appreciation, risks aspiration into the respiratory tract, causes uneven gastric filling, and blunts downward *Vata* transit [55, 69, 70].
8. **Na Ativilambitam (Do Not Eat Too Slowly):** Lingering too long over a meal results in overeating, allows food to turn cold, and creates irregular digestive secretion [55, 69, 71].
9. **Ajalpan, Ahasan, Tanmana Bhunjita (Eat Without Distraction):** Talking, laughing, watching screens, or emotional upset during meals breaks cognitive focus on the food (*Tanmana*), interfering with cephalic digestive reflexes and prompting erratic intake [55, 71, 72].
10. **Atmanam Abhisamikshya (Eat with Self-Awareness):** Dietary choices must align with an individual's constitutional type (*Prakriti*), personal habituation (*Satmya*), and seasonal variations [55, 71].

4.4. Ambupana Vidhi (Principles of Water Intake)

Water (*Jala*) is essential for life, but its timing and quantity dictate whether it acts as medicine, tonic, or a metabolic inhibitor [73]:

$$\text{अजीर्णे भेषजं वारि जीर्णे वारि बलप्रदम् \vert{} भोजने चामृतं वारि भोजनान्ते विषप्रदम् \vert{}\vert{}}$$

(Vriddha Chanakya) [73]

- **Timing Relative to Meals:** Drinking large quantities of water prior to meals cools digestive enzymes and leads to emaciation (*Karshya*) [73, 74]. Gulping water immediately


following a meal douses *Jatharagni*, builds excess *Kleda*, promotes sluggish metabolism, and encourages obesity (*Sthaulya*) [73, 74]. Sip-by-sip ingestion throughout a meal acts like nectar (*Amrita*), providing the moisture needed for enzymatic breakdown [73, 74].

- **Atyambupana (Excessive Hydration):** Overhydrating beyond natural thirst dilutes digestive secretions, provokes *Kapha* and *Pitta*, and fuels *Agnimandya* [73, 75, 76].
- **Thermal Quality:** Boiled and cooled water (*Shrita-Shita*) is light and digestible without increasing moisture, while warm water (*Ushnodaka*) clears channels, pacifies *Vata-Kapha*, and stimulates *Agni* [77, 78]. Conversely, chilled water shuts down gastric temperature, halting enzymatic activity [77, 79].
- **Hunger vs. Thirst Reflexes:** Eating food when thirsty leads to abdominal tumors (*Gulma*), while drinking water when genuinely hungry blunts digestive power and can encourage fluid accumulation (*Jalodara*) [73, 75].

5. RESULT

The collected classical evidence reveals that lifestyle patterns, behavioral routines, and eating habits are direct physiological determinants of *Jatharagni* function [5, 6, 10]:

Lifestyle Origins of Digestive Impairment.





1. Pathophysiology of Agnimandya: Sluggish digestion is characterized by impaired breakdown of even small or easily digestible meals, accompanied by abdominal heaviness

(*Udaragaurava*), anorexia (*Aruchi*), excessive salivation (*Praseka*), nausea (*Utklesha*), constipation (*Malavarodha*), and malaise (*Gatrasada*) [50, 80, 81].

2. **Mechanisms of Ama Generation:** When *Jatharagni* fails to transform ingested food, intermediate, unassimilated products accumulate as *Ama* [7]. *Ama* coats channels, binds with native doshas, forms *Sama Doshas*, and creates the structural substrate (*Khavaigunya*) required for chronic systemic pathology [7].

3. **Primary Remediation via Nidana Parivarjana:** Because *Agnimandya* is driven by modifiable daily habits, lasting therapeutic restoration requires correcting behavioral patterns [5, 14, 55]. Re-establishing structured eating hours, consuming freshly cooked warm meals with concentration, avoiding fluid excess, respecting sleep chronobiology, and engaging in daily moderate exercise systematically restores the *Ahara Parinamakara Bhavas* and re-establishes *Samagni* [10, 14, 55].

6. DISCUSSION

6.1. The Systemic Primacy of Agni and Its Biological Regulators


In Ayurvedic physiology, life, complexion, strength, vitality, immunity, and respiration all depend directly on *Jatharagni* [5, 6]. The classical axiom emphasizes that the extinction of *Agni* is death, its balanced state is healthy life, and its derangement is the genesis of all disease [5].

The classical conversion of food into absorbable nutritional essence (*Ahara Rasa*) and waste (*Kitta*) requires the balanced orchestration of the six **Ahara Parinamakara Bhavas** [10]:

1. **Ushma (Thermal Energy / Pachaka Pitta):** Provides the digestive warmth and biochemical reactions necessary to cook the ingested food [10, 82].
2. **Vayu (Motile and Nervous Regulation):** Coordinated by *Prana Vata* (ingestion and deglutition), *Samana Vata* (mixing, enzyme stimulation, and nutrient-waste division), and *Apana Vata* (evacuation) [10, 82].
3. **Kleda (Moisture / Kledaka Kapha):** Disintegrates food boluses and softens nutrient particles for enzyme action [10, 83].
4. **Sneha (Unctuousness):** Softens internal membranes, prevents mucosal damage, and facilitates smooth transit [10, 83].
5. **Kala (Time and Chronobiology):** Provides the uninterrupted duration required for complete biochemical transformation [10, 83].

6. **Samyoga (Balanced Synergy):** The appropriate, balanced combination of these factors, ensuring no single component overwhelms another [10, 83].

A qualitative increase in *Pitta* does not automatically increase *Agni* [82]. If *Pitta* increases primarily in its liquid quality (*Drava Guna*) rather than its hot, sharp aspects (*Ushna*, *Tikshna Guna*), it dilutes the digestive enzymes, causing hypofunction (*Dravadhikyat Agnimandya*) [11, 82]. Similarly, excessive secretions of *Kledaka Kapha* create an unctuous coating over the internal lining (*Pittadhara Kala*), neutralizing the sharp efficiency of *Pachaka Pitta* and halting digestion [50, 83, 84].



6.2. Modern Physiological Interfaces and Chronobiology

Ayurvedic lifestyle guidelines align closely with contemporary gastrointestinal, chronobiological, and neuro-endocrine principles:

1. Circadian Rhythm and Enteric Enzyme Production: Modern gastroenterology recognizes that digestive enzymes (such as amylase, pepsin, and lipases) follow an endogenously timed circadian rhythm [17]. Nocturnal wakefulness (*Ratrau Jagarana*) and erratic meal times disrupt this rhythm, leading to uncoordinated enzymatic secretion, delayed gastric emptying, and impaired peristalsis [17, 18, 85].

2. Gut-Brain-Endocrine Axis: Sleep loss elevates circulating concentrations of the orexigenic peptide ghrelin while blunting satiety-inducing leptin [16, 17]. This neuro-endocrine mismatch prompts nighttime snacking, overeating, and visceral fat storage,

aligning with classical descriptions of nocturnal dining causing channel blockage (*Srotorodha*) and *Kapha* aggravation [16, 17, 85].

3. Autonomic Influence and Distracted Eating: Digestion requires parasympathetic activation (the "rest and digest" state) to stimulate salivary, gastric, and pancreatic secretions [17, 72]. Distracted eating—such as watching screens or discussing stressors during meals—triggers sympathetic tone, reducing splanchnic blood flow, drying digestive secretions, and causing gastric stasis [70, 72]. This matches the classical warnings against *Atanmana*, *Jalpana*, and *Ahasana Bhojana* [55, 72].

4. Exercise and Splanchnic Hemodynamics: Moderate physical activity stimulates gastric emptying and supports healthy colonic transit [19]. However, strenuous exercise after eating redirects up to 80% of splanchnic blood flow toward skeletal muscles, depriving the gastrointestinal tract of oxygen and halting digestion [20, 21]. This mechanism mirrors the classical warning against *Bhojanottara Vyayama*, which drives doshas from *Kostha* to *Shakha* and triggers chronic metabolic disorders [37, 20].

5. Autointoxication, Barrier Breakdown, and Ama: Suppressing defecation delays transit, increases intraluminal pressure, and allows bacterial overgrowth [51, 86]. The resulting mucosal irritation and systemic absorption of bacterial endotoxins run parallel to the concept of *Ama*—where stagnation in the bowel allows partially digested, toxic metabolites to enter circulation and disrupt distant tissues [7, 21].

6.3. Applied Clinical Implications

Understanding the behavioral origins of *Agnimandya* changes how clinical gastroenterology is approached within Ayurveda:

- **Limitations of Standalone Pharmacotherapy:** Relying solely on digestive medicines (*Dipana-Pachana* drugs such as *Trikatu*, *Chitrakadi Vati*, or *Hingwashtaka Churna*) without addressing lifestyle triggers yields temporary relief followed by quick relapse [87, 88]. If the patient continues to sleep during the day, skip meals, or eat cold, heavy foods, the underlying cause persists [24, 57, 63].
- **Nidana Parivarjana as the Primary Step:** Systematically identifying and removing dietary and behavioral triggers restores the physiological baseline (*Ahara Parinamakara Bhavas*), allowing the digestive fire to normalize naturally [10, 14, 55].
- **Personalized Care:** Interventions must be tailored to an individual's constitution (*Prakriti*), environmental conditions (*Desha*), and seasonal shifts (*Ritu*) [31, 43, 55, 62, 89].

7. CONCLUSION

Agnimandya is primarily driven by preventable dietary and behavioral errors rather than isolated anatomical lesions [1, 5]. Classical Ayurvedic treatises provide an integrated framework linking daily habits, chronobiology, mental state, and water consumption directly to digestive performance [3, 10, 90, 91]. When these regimens are neglected, the regulatory factors of digestion falter, doshas become deranged, and toxic *Ama* enters circulation to spark systemic disease [7, 10, 11].

Restoring digestive capacity (*Samagni*) requires realigning daily routines with natural physiological rhythms through structured sleep, moderate exercise, respectful attention to biological urges, and disciplined dietary habits [5, 14, 31, 49, 55]. Re-establishing these classical lifestyle practices forms a necessary, non-pharmacological foundation for preventing and reversing chronic metabolic and lifestyle disorders [5, 14].

REFERENCES

1. World Health Organization. Global status report on noncommunicable diseases 2010. Geneva: World Health Organization; 2011.
2. National Center for Health Statistics. Health, United States, 2000 with adolescent health chartbook. Hyattsville: National Center for Health Statistics; 2000.
3. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 1, Ver. 15. Varanasi: Chaukhambha Orientalia; 2014.
4. Sushruta. Sushruta Samhita. Sutrasthana, Ch. 1, Ver. 27. Varanasi: Chaukhambha Surbharati Prakashan; 2013.
5. Vagbhata. Ashtanga Hridaya. Nidanasthana, Ch. 12, Ver. 3. Varanasi: Chaukhambha Krishnadas Academy; 2010.
6. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Chikitsasthana, Ch. 15, Ver. 3. Varanasi: Chaukhambha Orientalia; 2014.
7. Vagbhata. Ashtanga Hridaya. Nidanasthana, Ch. 12, Ver. 1. Varanasi: Chaukhambha Krishnadas Academy; 2010.
8. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 30, Ver. 26. Varanasi: Chaukhambha Orientalia; 2014.
9. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Chikitsasthana, Ch. 15, Ver. 10. Varanasi: Chaukhambha Orientalia; 2014.
10. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sharirasthana, Ch. 6, Ver. 14. Varanasi: Chaukhambha Orientalia; 2014.

11. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Chikitsasthana, Ch. 15, Ver. 65. Varanasi: Chaukhambha Orientalia; 2014.
12. Kirchgessner AL. Orexins in the brain-gut axis. Endocr Rev. 2002;23(1):1-15.
13. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Vimanasthana, Ch. 1, Ver. 24. Varanasi: Chaukhambha Orientalia; 2014.
14. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Vimanasthana, Ch. 8, Ver. 87. Varanasi: Chaukhambha Orientalia; 2014.
15. Deshmukh SH. Fundamental and applied aspect of lifestyle in Ayurveda classics and its role in Agnimandya [MD thesis]. Jamnagar: Gujarat Ayurved University; 2014.
16. Taheri S, Lin L, Austin D, Young T, Mignot E. Short sleep duration is associated with reduced leptin, elevated ghrelin, and increased body mass index. PLoS Med. 2004;1(3):e62.
17. Saito M, Murakami E, Nishida T, Fujisawa Y, Suda M. Circadian rhythms in digestive enzymes in the small intestine of rats. J Biochem. 1975;78(3):475-480.
18. Elsenbruch S, Orr WC, Harnish MJ. Disruption of normal gastric myoelectric functioning by sleep. Sleep. 1999;22(4):453-458.
19. Beaumont W. Experiments and observations on the gastric juice and the physiology of digestion. Plattsburgh: F. P. Allen; 1838.
20. Qamar MI, Read AE, Mountford R. Effects of exercise on mesenteric blood flow in man. Gut. 1987;28(5):583-587.
21. Rao SC, Beaty J, Chamberlain M, Lambert CP, Gisolfi CV. Effects of acute graded exercise on human colonic motility. Am J Physiol. 1999;276(5):G1221-G1226.
22. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Vimanasthana, Ch. 3, Ver. 24. Varanasi: Chaukhambha Orientalia; 2014.
23. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Chikitsasthana, Ch. 15, Ver. 42. Varanasi: Chaukhambha Orientalia; 2014.
24. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 21, Ver. 36. Varanasi: Chaukhambha Orientalia; 2014.
25. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 21, Ver. 50. Varanasi: Chaukhambha Orientalia; 2014.
26. Vagbhata. Ashtanga Hridaya. Sutrasthana, Ch. 2, Ver. 3. Varanasi: Chaukhambha Krishnadas Academy; 2010.
27. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 21, Ver. 44. Varanasi: Chaukhambha Orientalia; 2014.

28. Vagbhata. Ashtanga Hridaya. Sutrasthana, Ch. 7, Ver. 65. Varanasi: Chaukhambha Krishnadas Academy; 2010.
29. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 21, Ver. 39-41. Varanasi: Chaukhambha Orientalia; 2014.
30. Sushruta. Sushruta Samhita. Chikitsasthana, Ch. 24, Ver. 38. Varanasi: Chaukhambha Surbharati Prakashan; 2013.
31. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 7, Ver. 31. Varanasi: Chaukhambha Orientalia; 2014.
32. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 7, Ver. 33. Varanasi: Chaukhambha Orientalia; 2014.
33. Vagbhata. Ashtanga Hridaya. Sutrasthana, Ch. 2, Ver. 13. Varanasi: Chaukhambha Krishnadas Academy; 2010.
34. Zinker BA, Lacy DB, Bracy D, Wasserman DH. Role of glucose and insulin load to the exercising limb in increasing glucose uptake and metabolism. J Appl Physiol. 1993;74(6):2915-2921.
35. Campbell JMH, Mitchell GO. Influence of exercise on digestion. Guy's Hosp Rep. 1928;78:279-293.
36. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Vimanasthana, Ch. 5, Ver. 10. Varanasi: Chaukhambha Orientalia; 2014.
37. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 28, Ver. 31. Varanasi: Chaukhambha Orientalia; 2014.
38. Sushruta. Sushruta Samhita. Chikitsasthana, Ch. 24, Ver. 78. Varanasi: Chaukhambha Surbharati Prakashan; 2013.
39. Bhavamishra. Bhavaprakasha. Purvakhanda, Ch. 5, Ver. 197. Varanasi: Chaukhambha Sanskrit Sansthan; 2012.
40. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 8, Ver. 18. Varanasi: Chaukhambha Orientalia; 2014.
41. Moyer CA, Rounds J, Hannum JW. A meta-analysis of massage therapy research. Psychol Bull. 2004;130(1):3-18.
42. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 5, Ver. 85. Varanasi: Chaukhambha Orientalia; 2014.
43. Vagbhata. Ashtanga Hridaya. Sutrasthana, Ch. 2, Ver. 8. Varanasi: Chaukhambha Krishnadas Academy; 2010.

44. Hinds T, McEwan I, Perkes J, Dawson E, Ball D, George K. Effects of massage on limb and skin blood flow after quadriceps exercise. Med Sci Sports Exerc. 2004;36(8):1308-1313.
45. Kaiyadeva. Kaiyadeva Nighantu. Nanartha Varga, Ver. 172-176. Varanasi: Chaukhambha Orientalia; 2006.
46. Vagbhata. Ashtanga Hridaya. Sutrasthana, Ch. 2, Ver. 15. Varanasi: Chaukhambha Krishnadas Academy; 2010.
47. Vagbhata. Ashtanga Hridaya. Sutrasthana, Ch. 2, Ver. 17. Varanasi: Chaukhambha Krishnadas Academy; 2010.
48. Allison RD, Roth GM. Central and peripheral vascular responses to immersion in water of different temperatures. Phys Ther. 1969;49(3):233-239.
49. Vagbhata. Ashtanga Hridaya. Sutrasthana, Ch. 4, Ver. 22. Varanasi: Chaukhambha Krishnadas Academy; 2010.
50. Sushruta. Sushruta Samhita. Sutrasthana, Ch. 35, Ver. 24. Varanasi: Chaukhambha Surbharati Prakashan; 2013.
51. Serra J, Azpiroz F, Malagelada JR. Impaired transit and tolerance of intestinal gas in the irritable bowel syndrome. Gut. 2001;48(1):14-19.
52. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 7, Ver. 27-29. Varanasi: Chaukhambha Orientalia; 2014.
53. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Vimanasthana, Ch. 2, Ver. 9. Varanasi: Chaukhambha Orientalia; 2014.
54. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Chikitsasthana, Ch. 24, Ver. 60. Varanasi: Chaukhambha Orientalia; 2014.
55. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Vimanasthana, Ch. 1, Ver. 25. Varanasi: Chaukhambha Orientalia; 2014.
56. Vagbhata. Ashtanga Samgraha. Sutrasthana, Ch. 10, Ver. 50. Varanasi: Chowkhamba Sanskrit Series Office; 2008.
57. Sushruta. Sushruta Samhita. Sutrasthana, Ch. 46, Ver. 476. Varanasi: Chaukhambha Surbharati Prakashan; 2013.
58. Hall DM, Buettner GR, Matthes RD, Gisolfi CV. Splanchnic tissues undergo hypoxic stress during whole day hyperthermia. Am J Physiol. 1999;276(5):G1195-G1203.
59. Kashyapa. Kashyapa Samhita. Khila Sthana, Ch. 5, Ver. 3. Varanasi: Chaukhambha Sanskrit Sansthan; 2009.

60. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 21, Ver. 11. Varanasi: Chaukhambha Orientalia; 2014.
61. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 5, Ver. 3. Varanasi: Chaukhambha Orientalia; 2014.
62. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Vimanasthana, Ch. 2, Ver. 3. Varanasi: Chaukhambha Orientalia; 2014.
63. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 5, Ver. 6. Varanasi: Chaukhambha Orientalia; 2014.
64. Beaumont W. Experiments and observations on the gastric juice and the physiology of digestion. Plattsburgh: F. P. Allen; 1838.
65. Vagbhata. Ashtanga Hridaya. Sutrasthana, Ch. 8, Ver. 55. Varanasi: Chaukhambha Krishnadas Academy; 2010.
66. Sushruta. Sushruta Samhita. Sutrasthana, Ch. 46, Ver. 508. Varanasi: Chaukhambha Surbharati Prakashan; 2013.
67. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Vimanasthana, Ch. 2, Ver. 24. Varanasi: Chaukhambha Orientalia; 2014.
68. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 26, Ver. 102. Varanasi: Chaukhambha Orientalia; 2014.
69. Kashyapa. Kashyapa Samhita. Khila Sthana, Ch. 5, Ver. 25. Varanasi: Chaukhambha Sanskrit Sansthan; 2009.
70. Combe A. The physiology of digestion considered with relation to the principles of dietetics. Edinburgh: Maclachlan & Stewart; 1836.
71. Kashyapa. Kashyapa Samhita. Khila Sthana, Ch. 5, Ver. 13. Varanasi: Chaukhambha Sanskrit Sansthan; 2009.
72. Kashyapa. Kashyapa Samhita. Khila Sthana, Ch. 5, Ver. 23. Varanasi: Chaukhambha Sanskrit Sansthan; 2009.
73. Sushruta. Sushruta Samhita. Sutrasthana, Ch. 46, Ver. 482. Varanasi: Chaukhambha Surbharati Prakashan; 2013.
74. Sushruta. Sushruta Samhita. Sutrasthana, Ch. 46, Ver. 437. Varanasi: Chaukhambha Surbharati Prakashan; 2013.
75. Bhavamishra. Bhavaprakasha. Purvakhanda, Ch. 5, Ver. 157. Varanasi: Chaukhambha Sanskrit Sansthan; 2012.
76. Vagbhata. Ashtanga Samgraha. Sutrasthana, Ch. 6, Ver. 32. Varanasi: Chowkhamba Sanskrit Series Office; 2008.

77. Vagbhata. Ashtanga Hridaya. Sutrasthana, Ch. 5, Ver. 14. Varanasi: Chaukhambha Krishnadas Academy; 2010.
78. Sushruta. Sushruta Samhita. Sutrasthana, Ch. 45, Ver. 40. Varanasi: Chaukhambha Surbharati Prakashan; 2013.
79. Beaumont W. Experiments and observations on the gastric juice and the physiology of digestion. Plattsburgh: F. P. Allen; 1838.
80. Madhavakara. Madhavanidana. Chapter 6, Ver. 3. Varanasi: Chaukhambha Prakashan; 2010.
81. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 28, Ver. 4. Varanasi: Chaukhambha Orientalia; 2014.
82. Vagbhata. Ashtanga Samgraha. Sutrasthana, Ch. 20, Ver. 5. Varanasi: Chowkhamba Sanskrit Series Office; 2008.
83. Vagbhata. Ashtanga Hridaya. Sutrasthana, Ch. 12, Ver. 16. Varanasi: Chaukhambha Krishnadas Academy; 2010.
84. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Chikitsasthana, Ch. 19, Ver. 7. Varanasi: Chaukhambha Orientalia; 2014.
85. Madhavakara. Madhavanidana. Chapter 11, Ver. 13. Varanasi: Chaukhambha Prakashan; 2010.
86. Rao SC, Welcher KD. Colonic motility and transit in health and disease. Curr Opin Gastroenterol. 2000;16(1):47-53.
87. Vagbhata. Ashtanga Samgraha. Nidanasthana, Ch. 1, Ver. 28. Varanasi: Chowkhamba Sanskrit Series Office; 2008.
88. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 24, Ver. 10. Varanasi: Chaukhambha Orientalia; 2014.
89. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Sutrasthana, Ch. 6, Ver. 50. Varanasi: Chaukhambha Orientalia; 2014.
90. Sushruta. Sushruta Samhita. Chikitsasthana, Ch. 4, Ver. 10. Varanasi: Chaukhambha Surbharati Prakashan; 2013.
91. Agnivesha, Charaka, Dridhabala. Charaka Samhita. Chikitsasthana, Ch. 15, Ver. 51. Varanasi: Chaukhambha Orientalia; 2014.